## HOMEWORK 1 415G 001 COMBINATORICS AND GRAPH THEORY

## DUE FRIDAY 9/02

## Exercises to work in class

- 1. Prove by induction that  $1^3 + 2^3 + ... + n^3 = \frac{n^2(n+1)^2}{4}$ . Then show that  $(1+2+\cdots+n)^2 = 1^3 + 2^3 + \cdots + n^3$ .
- **2.** Prove by induction that for  $a \neq 1$ ,  $1 + a + a^2 + \dots + a^n = \frac{1 a^{n+1}}{1 a}$ .
- **3.** Prove that for positive integers a > b there exist **unique** non negative integers q and r such that a = qb + r with  $0 \le r < b$ .

## Exercises to submit as homework

- 4. Use strong induction to show that any positive integer  $n \ge 1$  can be expressed as a sum  $n = 2^{a_1} + 2^{a_2} + \cdots + 2^{a_r}$  of powers of 2, where  $a_1 > a_2 > \cdots > a_r \ge 0$  (all  $a_i$ 's are distinct).
- 5. Prove that for every integer x, if x is odd then there exists an integer k such that  $x^2 = 8k + 1$ .
- 6. Let  $F_n$  be the number of binary sequences (sequences of ones and zeros) of length n (for example 1101 is a binary sequence of length 4). There is a unique sequence of length 0, the empty sequence. Also having a binary sequence of length n we can obtain one binary sequence of length n + 1 by adding either a trailing 0 or 1, so there is always twice as much binary sequences of length n + 1 than binary sequences of length n, i.e.,  $F_{n+1} = 2F_n$ . Guess a closed formula for  $F_n$  and prove that the formula is correct using induction.
- 7. Find a bijection (and prove that your map is indeed a bijection) between the power set  $\mathcal{P}([n]) := \{A \mid A \subseteq [n]\}$  of the set  $[n] := \{1, 2, ..., n\}$  and the set  $\mathcal{B}_n$  of binary sequences of length n. Use the previous exercise to conclude a formula for the cardinality of  $\mathcal{P}([n])$ .